



鼎联国际集团



UNIONLEVER INTERNATIONAL GROUP

Company Profile

We are exporter and manufacturer specialized in Ceiling Systems. Our products include:

- Mineral Fiber Ceiling
- Glass Wool Ceiling
- Rock Wool Ceiling
- Binyl Laminated Gypsum Ceiling
- Metal Ceiling
- Ceiling GRid and Accessories

Our company concentrates on quality management, technique improvement and innovation, by taking quality as the first and foremost factor in our organization development. We welcome people from all walks of life to explore new prospects with us on the basis of mutual benefit, mutual trust and mutual development.

SUSPENSION CEILING GRID

SUSPENSION CEILING GRID

Main Products:



Alloy End Grid


Applications: Sustainable, accessible, economical, commercial ceiling suspension



System is approved for all seismic areas.
Alloy end provides added corrosion resistance.
Cost control.
Global compatibility and availability.




Wall Angle



Size: (Width*Height*Length)
24*24*3000mm
20*20*3000mm
Thickness: 0.3mm, 0.4mm




Cross Tee



Size: (Width*Height*Length)
27*24*1200mm
27*24*1220mm
27*24*600mm
27*24*610mm
Thickness: 0.26mm, 0.3mm



Main Tee



Size: (Width*Height*Length)
38*24*3600mm
38*24*3660mm
38*24*3750mm
32*24*3600mm
32*24*3660mm
32*24*3750mm
Available thickness:
0.26mm, 0.30mm, 0.35mm, 0.40mm


Groove System

Applications:

Sustainable, accessible, economical,
commercial ceiling suspension




Wall Angle



Size: (Width*Height*Length)
20*15*3000mm
20*16*3600mm
Thickness: 0.3mm, 0.4mm




Cross Tee



Size: (Width*Height*Length)
42*15*1200mm 38*16*600mm
42*15*1220mm 38*16*610mm
42*15*600mm 32*16*1200mm
42*15*610mm 32*16*1220mm
38*16*1200mm 32*16*600mm
38*16*1220mm 32*16*610mm
Thickness: 0.3mm, 0.4mm



Main Tee



Size: (Width*Height*Length)
42*15*3600mm
42*15*3660mm
38*16*3600mm
38*16*3660mm
32*16*3600mm
32*16*3660mm
Thickness: 0.3mm, 0.4mm


Groove System

Applications:

Sustainable, accessible, economical,
commercial ceiling suspension



Wall Angle



Size: (Width*Height*Length)

20*14*3000mm


20*14.5*3000mm

24*24*3000mm

Thickness: 0.3mm, 0.4mm



Cross Tee



Size: (Width*Height*Length)

32*14*1200mm 32*14.5*1200mm

32*14*1220mm 32*14.5*1220mm


32*14*600mm 32*14.5*600mm

32*14*610mm 32*14.5*610mm

Thickness: 0.26mm, 0.3mm



Main Tee



Size: (Width*Height*Length)

32*14*3600

32*14*3660

32*14.5*3600

32*14.5*3660

30*24*3600

30*24*3660

Thickness: 0.26mm, 0.3mm

SUSPENSION CEILING GRID

SUSPENSION CEILING GRID

Plane System

1. hot dipped galvanized coating inhibits red rusting rather than electro galvanized, painted, or tin plated systems
2. anti-tiding, shape keeping, and easy to be installed
3. all components can provide a square, level and maintain integrity of systems
4. system is engineered and designed fit and provide a finish to coordinate with all of ingenuity systems.

Applications:

Sustainable, accessible, economical,
commercial ceiling suspension




Plane System





Wall Angle

Size: (Width*Height*Length)
20*20*3000mm
Thickness: 0.3mm, 0.4mm




Cross Tee

Size: (Width*Height*Length)
27*24*1200mm
27*24*1220mm
27*24*600mm
27*24*610mm
Thickness: 0.26mm, 0.3mm



Main Tee


Size: (Width*Height*Length)
38*24*3600mm
38*24*3660mm
38*24*3750mm
32*24*3600mm
32*24*3660mm
32*24*3750mm
Available thickness:
0.26mm, 0.30mm, 0.35mm, 0.40mm



SUSPENSION CEILING GRID

SUSPENSION CEILING GRID

Dry Wall Steel System



Other Products

